

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1973	queue adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:37
L2	3	queue adj set with replication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:37
L3	282	queue with replication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:41
L4	150	3 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:41
L5	162	queue near3 replication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:41
L6	90	5 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:59
L7	1	6 and replication adj count	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:42
L9	638	determin\$3 near3 (packet queue) near3 ("same" identical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:58
L10	78	9 and replicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:18

## EAST Search History

L11	60	10 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:18
L12	159	9 and (replicat\$3 multicast\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:18
L13	119	12 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:56
L14	71	replication adj count\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:56
L15	56	14 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:56
L16	1	15 and multicasting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 10:56
S1	1840	queue adj set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 07:40
S7	2990	(370/229 or 370/351).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 09:22
S8	5256	(370/229 or 370/351 or 370/412).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 08:08
S9	5612	(370/235 or 370/351 or 370/412).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 08:09

## EAST Search History

S10	723	S9 and (queue\$3 with manag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:36
S11	299	S10 and scheduler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 08:26
S12	33	S11 and (queue adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 08:33
S13	6	S9 and (queue adj2 service adj2 interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:03
S14	13961	(370/229 or 370/230 or 370/230.1 or 370/231 or 370/232 or 370/233 or 370/234 or 370/235 or 370/351 or 370/389 or 370/390 or 370/412 or 370/413 or 370/414 or 370/415).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 09:25
S15	1765	S14 and (manag\$5 with queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 14:57
S17	144	S15 and (queue adj set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 09:31
S19	605	S15 and (queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 10:19
S20	10	S15 and (queue with (target or nominal) adj2 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 11:11

## EAST Search History

S22	10	S15 and (queue with (target or nominal) adj2 (size or (packet adj2 count)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 17:18
S23	34	S15 and (single adj2 entity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 14:58
S24	12	S14 and (queue with (target or nominal) adj2 (size or (packet adj2 count)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 15:26
S25	5	S15 and (queue adj2 service adj2 interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:03
S26	10	S14 and (queue adj2 service adj2 interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 17:17
S27	0	S22 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 17:18
S28	13980	(370/229 or 370/230 or 370/230.1 or 370/231 or 370/232 or 370/233 or 370/234 or 370/235 or 370/351 or 370/389 or 370/390 or 370/412 or 370/413 or 370/414 or 370/415).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:04
S29	0	S28 and (queue adj2 service adj2 interval) and (data adj2 rate) and (target with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:39
S31	63	S28 and (data adj2 rate) and (target with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:11

## EAST Search History

S32	473	S28 and (data adj2 rate) and (queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:11
S33	51	S28 and (data adj2 rate) same (queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:11
S34	2	S28 and (queue adj2 service adj2 interval) and (data adj2 rate) and (size near queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:30
S35	11	S28 and (queue adj2 service adj2 interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 11:10
S36	256	S28 and (data adj2 rate) and (size near queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:42
S38	28	S28 and (data adj2 rate) and ((target or average) near3 (queue near3 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:53
S39	41	S28 and (determi\$5 or estimat\$3 or calculat\$3) with ((target or average) near3 (queue near3 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 08:58
S40	0	S28 and (determi\$5 or estimat\$3 or calculat\$3) with ((target or average) near3 (queue near3 size)) and (adjust\$3 near3 (queue near3 (service adj2 (interval or time))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:51
S41	1	S28 and (adjust\$3 near3 (queue near3 (service adj2 (interval or time))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 09:03

## EAST Search History

S42	2	S28 and ((adjust\$3 or chang\$3 or modify\$3) near3 (queue near3 (service adj2 (interval or time))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 09:03
S43	3	S28 and (queue adj2 service adj2 interval) and (queue near3 (size or length))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:32
S44	15	S28 and (queue near4 target near4 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:32
S45	3	S28 and (queue adj2 service adj2 interval) and (size near queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:59
S46	3	S28 and (queue adj2 service adj2 interval) and ((size or length) near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:43
S47	0	S28 and (determi\$5 or estimat\$3 or calculat\$3) with ((target or average or nominal) near4 (queue near4 size)) and (adjust\$3 near3 (queue near3 (service adj2 (interval or time))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:53
S48	41	S28 and (determi\$5 or estimat\$3 or calculat\$3) with ((target or average or nominal) near4 (queue near4 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:54
S49	60	S28 and (determi\$5 or estimat\$3 or calculat\$3) same ((target or average or nominal) near4 (queue near4 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:54
S50	14	S28 and (queue near4 service near4 interval) and (queue near4 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 12:59

## EAST Search History

S51	147	S28 and (queue adj2 service) and (size near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:31
S52	13	S28 and (queue adj2 service adj2 (interval or time)) and (size near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:44
S53	0	S28 and (queue adj2 service adj2 (interval or cycle)) and (target near4 size near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:45
S54	4	S28 and (queue adj2 service adj2 (interval or cycle)) and (size near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 14:58
S55	4	S28 and (queue adj2 (service or attention) adj2 (interval or cycle)) and (size near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 15:05
S57	4	S28 and (queue adj2 (service or attention) adj2 (interval or cycle)) and ((size or length) near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 15:14
S58	23	S28 and (queue near4(service or attention) near4 (interval or cycle)) and ((size or length) near4 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 15:52
S59	52	S28 and (queue near4(service or attention) near4 (interval or cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 16:50
S60	4	S28 and (queue near4(service or attention) near4 (interval or cycle)) same (queue near4 (size or length))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 17:29
S61	4	S28 and (queue near4(service or attention) near4 (interval or cycle)) same ((queue or stack or list or line) near4 (size or length))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 08:49

## EAST Search History

S62	13980	(370/229 or 370/230 or 370/230.1 or 370/231 or 370/232 or 370/233 or 370/234 or 370/235 or 370/351 or 370/389 or 370/390 or 370/412 or 370/413 or 370/414 or 370/415).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 08:49
S63	20	S62 and (queue near4(service or attention) near4 (interval or cycle)) same ((queue or stack or list or line) near4 (size or length or slots or packets))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 11:12
S64	455	S62 and (queue near4 (size or length)) same (bandwidth or (data adj2 (rate or flow)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 11:22
S65	177	S62 and (queue near4 size) same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 07:15
S66	14007	(370/229 or 370/230 or 370/230.1 or 370/231 or 370/232 or 370/233 or 370/234 or 370/235 or 370/351 or 370/389 or 370/390 or 370/412 or 370/413 or 370/414 or 370/415).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 07:16
S67	76	S66 and (Random adj early adj detection) and (shaping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 07:16
S68	2	"6493347".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 09:42
S69	2	"5905725".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 09:43
S70	2	"6160819".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 09:44



## EAST Search History

S71	2	"5463620".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:26
S72	13192	queue with (size length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:28
S73	239	target with queue with (size length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 11:30
S74	76	target adj3 queue with (size length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:45
S75	7	target adj3 queue with (size length) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:55
S76	0	target adj3 queue with (size length) with packet adj2 length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:21
S77	4	target adj3 queue with (size length) with packet with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:25
S78	2	allocat\$3 with target adj3 queue with (size length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:25
S79	1921	370/230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:45
S80	9	S73 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:45

## EAST Search History

S81	0	target adj queue adj size with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:56
S82	0	(target adj queue adj size) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:58
S83	0	(target adj2 queue adj2 size) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 12:58
S84	0	(target adj3 queue adj3 size) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:43
S85	15	(target with queue with size) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:00
S86	129	(target with (queue buffer) with size) with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:08
S87	2	"7072295".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:03
S88	292	(target with (queue buffer) with size) with maximum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:09
S89	1	S79 and (target with (queue buffer) with size) with maximum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:29
S90	61	packet adj length with (buffer memory queue) adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:29

## EAST Search History

S91	10	(service adj3 interval) with (queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:26
S92	0	(service adj3 interval) with (queue with target with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:06
S93	12	(bandwidth (data adj2 rate)) with (queue with target with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:10
S94	2208	(bandwidth (data adj2 rate)) with ((queue buffer) with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:10
S95	542	(bandwidth (data adj2 rate)) with ((queue ) with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:17
S96	241	(bandwidth (data adj2 rate)) with ((queue ) adj2 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:18
S97	22	(service with interval) with (queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 16:52
S98	3	"7215680".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 16:51
S99	7	(service with interval) with (average with queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:13
S100	417	(average with queue with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 17:13

## EAST Search History

S10 1	33	S100 and service with interval	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 06:57
S10 5	1599	queue\$3 with (multicast\$3 replicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 07:01
S10 6	776	S105 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 08:29
S10 9	2	"7047312".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 08:50
S11 0	37	congestion with service adj (interval time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:03
S11 1	658	congestion and service adj (interval time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:03
S11 2	102	congestion and (queue with (service adj (interval time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:16
S11 3	4	congestion with (queue with (service adj (interval time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:04
S11 4	58	(adjust\$3 chang\$3) same (queue with (service adj (interval time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:17
S11 5	1	(adjust\$3 chang\$3) same (queue with (service adj (interval time))) same congestion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:29

## EAST Search History

S11 7	0	(queue with (service adj (interval time))) same (target with (queue adj2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:31
S11 8	0	(queue with (service adj2 (interval time))) same (target with (queue adj2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:31
S11 9	0	(queue same (service adj2 (interval time))) same (target with (queue adj2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:31
S12 0	0	(queue same (service adj2 (interval time))) same (target same (queue adj2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:32
S12 1	0	((service adj2 (interval time))) same (target same (queue adj2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:33
S12 2	33	((service adj2 (interval time))) same ( (queue adj2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:43
S12 3	144	((service adj2 (interval time))) same (queue adj2 (size length))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:55
S12 4	7	((service adj2 (interval time))) same ((target desired) with (queue adj2 (size length)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:55
S12 5	0	queue adj set adj generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 10:52
S12 6	10	(notify notification) with ready with scheduling	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 11:25

## EAST Search History

S12 7	6538	multicast\$3 and queue\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 13:54
S12 8	7	S127 and replication adj2 count	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 11:27
S12 9	1700	multicast\$3 same queue\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 13:54
S13 0	1061	multicast\$3 with queue\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 13:54
S13 1	26	multicast\$3 with queue\$3 with replication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 14:52
S13 2	60	multicast\$3 with queue\$3 with replicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:13
S13 3	935	determin\$3 with queue with "same"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:21
S13 4	2	S132 and S133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:13
S13 5	298	S133 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:22
S13 6	18	S135 and multicasting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:26

## EAST Search History

S13 7	26	S133 and multicasting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:27
S13 8	47	compar\$4 with (queue fifo) with (content context) and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:47
S13 9	5	compar\$4 with (queue fifo) near2 (content context) and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:48
S14 1	40	370/390.ccls. and 370/412.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:19
S14 2	6	S132 and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:13
S14 3	8	S133 and 370/390.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:23
S14 4	7062	(determin\$3 find\$3) same queue same "same"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 18:29
S14 5	46	S144 and 370/390.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:23
S14 6	45463	(determin\$3 find\$3) with (queue packet content data) with "same"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 06:32
S14 7	7	S146 and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 18:32

## EAST Search History

S14 8	1626	S146 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 18:32
S14 9	8	S148 and S132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 18:33
S15 1	6054	queue near3 "same"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 18:55
S15 2	638	S151 and replicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 18:56
S15 3	173	S152 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 19:03
S15 5	124	S153 and "same" near3 (content data packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 19:11
S15 6	126	S153 and ("same" equal) near3 (content data packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 19:11
S15 7	3844	(determin\$3 ) with multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 06:33
S15 8	1474	(determin\$3 ) with (if whether) with multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 06:34
S15 9	858	S158 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05



## EAST Search History

S16 0	543	S159 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 09:38
S16 1	194	S160 and ("370/390".ccls. "370/412.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 09:44
S16 2	99	notif\$7 with ready with schedul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 09:45
S16 3	152	queue adj2 generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:00
S16 4	110	S163 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05
S16 5	29	S164 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:04
S16 6	1060	allocat\$3 with packets with queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05
S16 7	399	S166 and scheduler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05
S16 8	276	S167 and (@ad<="20021210" or @rlad<="20021210")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05
S16 9	206	S168 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05